



QUALITY

INNOVATION

SAFETY



SATPUDA
ENGINEERING PVT. LTD.

AIS-125 CERTIFIED AMBULANCE STRETCHER
MODEL : AST-718

AIS-125 CERTIFIED AMBULANCE STRETCHER

MODEL : AST-718



Technical Data

Length : 1862 mm

Structural Material : Mild Steel

Width : 550 mm

Loading Weight : 170 Kg.


Wheel diameter : 125 mm

Collapsible Side Railing : Yes

Brakes : On rear wheels

I.V Rod : Yes (1nos.)

FEATURES




Independent folding of front and rear legs

Actuation of front leg and rear leg is done by dedicated levers thus ensuring the comfort of the patient and the operator while loading and unloading the stretcher in the ambulance.



Collapsible side railing

The collapsible mechanism of the side railing ensures that the railings can be folded and retracted without fouling with the vehicle's body or medical instruments.



Back rest with 5 fixing positions

The backrest can be easily adjusted to 5 different positions as per the patient's requirement. Designed to bring the backrest to flat position quickly for performing CPR.



Provision for leg rest elevation

Adjustment for easy elevation of leg rest to create semi-fowler position. Provision is as per AIS-125 standard.



Castor wheels with brake

Easy manoeuvrability of stretcher facilitated by use of ball bearing wheels. Side brake provision for easy locking and un-locking of stretcher wheels to arrest stretcher movement.

Easy locking and unlocking of stretcher in ambulance

Stretcher is automatically locked into position by just sliding the stretcher in the locking base fixed on the vehicle floor. A simple pull to the locking base lever releases the stretcher from the locking base.





CONTACT DETAILS

Satpuda Engineering Pvt. Ltd.

F-13, M.I.D.C., Ambad, Nashik - 422 010. Maharashtra, India



+91-0253-6601304/5, 2385258



9920862845, 7709046789, 9773069910



sales@satpudaindia.com



www.satpudaindia.com